

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER T.E. WINTERS ADDRESS RT. 2 GOLDTHWHITE
(Name) (Street, RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION CORYELL FM 183 TX 76844
County (Street, RFD or other) (City) (State) (Zip) Grid # 44-39-3
Long. Lat.

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
Date Drilling: _____
Started 2-7-01
Completed 2-7-01

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
8 1/2	Surface	11
6 1/2		330

7) DRILLING METHOD (Check): Driven Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____

From (ft.)	To (ft.)	Description and color of formation material
0-1		SOIL
1-29		CALEACHE
29-116		GRAY SHALE
116-118		GRAY SANDSTONE
118-120		GRAY SAND ROCK
120-140		GRAY SAND
140-155		GRAY SANDY CLAY
155-330		GRAY SHALE

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4 1/2	N	PLASTIC	75	95	SURF
4 1/2	N	BLOTTED	95	330	SURF

(Use reverse side of Well Owner's copy, if necessary)

13) Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
Cemented from 0 ft. to 45 ft. No. of sacks used 2
ft. to _____ ft. No. of sacks used _____
Method used SAND & CEMENT
Cemented by Dale Faught
Distance to septic system field lines or other concentrated contamination 100'
Method of verification of above distance 100' TEST

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed 8 5/8" x 28"
 Specified Steel Sleeve Installed
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 4 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 130 ft. below land surface Date 2-8-01
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS:
Type Depth
1 19 RUBBER 45
52

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME FAUGHT WATER WELL WELL DRILLER'S LICENSE NO. 24106
(Type or print)
ADDRESS RT. 2 BOX 43 LANIPASAS TX 76550
(Street, RFD) (City) (State) (Zip)
(Signed) Dale Faught (Signed) _____ (Registered Driller Trainee)
(Licensed Well Driller)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER LETHA SHELDON ADDRESS BOX 737 EVANT TX.
(Name) (City) (State) (Zip)
2) ADDRESS OF WELL LOCATION 76509
County CORYELL LANGFORD COVE RD. Long. Lat.
(Street, RFD or other) (City) (State) (Zip) Grid # 41-39-3


3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRC? Yes No

6) WELL LOG:
Date Drilling: 10-6-99
Started: 10-6-99
Completed: 10-7-99

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>3 1/2</u>	Surface	<u>11</u>
<u>6 1/2</u>	<u>11</u>	<u>550</u>

7) DRILLING METHOD (Check): Drilled
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____



From (ft.)	To (ft.)	Description and color of formation material
0-1		SOIL + ROCKS
1-25		CLAY
25-48		GRAY SHALE
48-51		GRAY SOAPSTONE
51-75		GRAY SAND ROCK
75-90		GRAY SAND
90-95		GRAY DARK SANDY SHALE
95-105		GRAY SANDY SHALE
105-350		GRAY SHALE
350-375		GRAY LIMESTONE
375-390		GRAY SHALE
390-390		GRAY ROCK

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
			<u>1</u>	<u>350</u>	<u>SDR17</u>
			<u>350</u>	<u>550</u>	<u>SDR17</u>

13) Well plugged within 48 hours

Casing left in well:		Cement bentonite placed in well:		Sacks used:
From (ft)	To (ft)	From (ft)	To (ft)	

9) CEMENTING DATA
Cemented from 0 ft. to 105 ft. No. of sacks used 4 1/2
Cemented by Dale Faught Jr.
Distance to septic system field lines or other concentrated contamination 110 ft.
Method of verification of above distance EST

14) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

10) SURFACE COMPLETION
 Specified Surface Slab Installed
 Specified Steel Sleeve Installed 8 1/2" x 29"
 Pitless Adapter Used
 Approved Alternative Procedure Used

15) WELL TESTS:
Type test: Pump Bailer Jetted Estimated
Yield: 19 gpm with _____ ft. drawdown after _____ hrs.

11) WATER LEVEL:
Static level 390 ft. below land surface Date 10-7-99
Artesian flow _____ gpm. Date _____

16) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No

12) PACKERS:

	Type	Depth
<u>1</u>	<u>RUBBER</u>	<u>175</u>
<u>1</u>	<u>"</u>	<u>105</u>

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME FAUGHT WATERWELL WELL DRILLER'S LICENSE NO. 241002
(Type or print)
ADDRESS HC 61 BOX 47 LOMETA, TX 76853
(Street or RFD) (City) (State) (Zip)
(Signed) Dale Faught Jr. (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

State of Texas
WELL REPORT

Texas Department of Licensing & Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

1) OWNER LETHA SHELDON ADDRESS Box 237 East TX
(Name) (City) (State) (Zip)
2) ADDRESS OF WELL LOCATION: 76995 Long. _____ Lat. _____
County CORYELL LANGFORD COVE RD (Street, RFD or other) (City) (State) (Zip) Grid # 41-39-3

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: _____ Started 10-4-99 Completed 10-6-99
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
8 1/2 Surface 11 610
7) DRILLING METHOD (Check): Air Rotary Mud Rotary Bored Air Hammer Cable Tool Jetted Other _____

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
NONE USED					

9) CEMENTING DATA
Cemented from _____ ft. to _____ ft. No. of sacks used _____
Method used NONE
Cemented by _____
Distance to septic system field lines or other concentrated contamination _____ ft.
Method of verification of above distance _____

14) TYPE PUMP: Turbine Jet Submersible Cylinder Other _____
Depth to pump bowls, cylinder, jet, etc. NONE
10) SURFACE COMPLETION: Specified Surface Slab Installed Specified Steel Sleeve Installed Pitless Adapter Used Approved Alternative Procedure Used

15) WELL TESTS: Type test: Pump Bailer Jetted Estimated
Yield: 2 gpm with _____ ft. drawdown after _____ hrs.
11) WATER LEVEL: Static level UNK below land surface Date 10-5-99
Artesian flow _____ gpm. Date _____

16) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? Yes No
12) PACKERS: Type _____ Depth _____
NONE

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.
COMPANY NAME FAUGHT WATER WELL WELL DRILLER'S LICENSE NO. 2410W
ADDRESS HC 61 BOX 47 LONETA TX 76853-9305
(Signed) Dale Faught (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER MR. PECK WOLF (Name) Address Box 22 (Street or RFD) EVANST TX 76525 (City) (State) (Zip)

2) LOCATION OF WELL: County CORWELL 0 miles in _____ direction from IN EVANST TX (Town)

Legal description:

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

See attached map. 0740-33-1

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply
 Irrigation Test Well Injection Other _____

5) DRILLING METHOD (Check): Driven
 Mud Rotary Air Hammer Jetted Bored
 Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling:
Started 3/15 1989
Completed 3/15 1989

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/4"</u>	Surface	<u>110</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from 30 ft. to 110 ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0-2</u>	<u>2</u>	<u>SURFACE</u>
<u>2-20</u>	<u>20</u>	<u>CLAY</u>
<u>20-55</u>	<u>55</u>	<u>SAND</u>
<u>55-70</u>	<u>70</u>	<u>WATER SAND</u>
<u>70-110</u>	<u>110</u>	<u>SAND</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4"</u>	<u>N</u>	<u>4" SCH #40 PFC</u>	<u>0</u>	<u>110</u>	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
30 ft. to 40 ft. No. of Sacks Used 2
Method used WET CEMENT
Cemented by Edwin Jones

RECEIVED
JAN 23 1990

TEXAS WATER COMMISSION

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 40 ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER" _____

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
Yield 3

(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission P.O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ms. BONNIE HANSON (Name) Address Rt 1 (Street or RFD) EWART TX 76825 (City) (State) (Zip)
2) LOCATION OF WELL: County CORNELL 2 miles in S (N.E., S.W., etc.) direction from EWART TX (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Legal description: Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map. on 40-33-1

3) TYPE OF WORK (Check): New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check): Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check): Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG: Date Drilling: Started 10/21 1987 Completed 10/3 1987
DIAMETER OF HOLE: Dia. (in.) From (ft.) To (ft.)
6 1/4" Surface 480
7) BOREHOLE COMPLETION: Open Hole Straight Wall Underreamed Gravel Packed Other _____
If Gravel Packed give interval . . . from 290 ft. to 300 ft.

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
				From	To			
0-2'	2-28'	SURFACE CLAY						
28-255	255-330	SHALE	4" N		Screen to PJC	0	480'	
330-375	375-430	SANDY SHALE						
430-465	465-480	BROWN LIME ROCK PORUS LIME ROCK RED BED						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 280 ft. to 290 ft. No. of Sacks Used 2
0 ft. to 10 ft. No. of Sacks Used 2
Method used WATER CEMENT
Cemented by Eden Jackson

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 310 ft. below land surface Date 10/3/87
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 440 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated
15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"

RECEIVED
OCT 7 1988

TEXAS WATER COMMISSION

(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Water Development Board
 F. O. Box 12386
 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
 Well No. 41-39-30
 Located on map 1/2 S
 Received: 7/3
1/8

1) OWNER:
 Person having well drilled Eugene Karosek Address Evant Texas
 (Name) (Street or RFD) (City) (State)
 Landowner Sam Address _____
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
 County Coryell, 0 miles in 0 direction from Evant
 (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging	4) PROPOSED USE (Check): <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input type="checkbox"/> Municipal <input type="checkbox"/> Other	5) TYPE OF WELL (Check): <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Cable <input type="checkbox"/> Jetted <input type="checkbox"/> Dug <input type="checkbox"/> Bored
--	--	--

6) WELL LOG:
 Diameter of hole 6 in. Depth drilled 140 ft. Depth of completed well 140 ft. Date drilled 9-2-50
 All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-10'		Top soil
10'-20'		Schule Rock
20'-60'		white limestone
60'-80'		water sand
80'-140'		white limestone

9) CASING:
 Type: Old _____ New Steel Plastic Other _____
 Cemented from 0 ft. to 10 ft.

Diameter (inches)	Setting		Gage
	From (ft.)	To (ft.)	
5	0	140	200 W.A.H.

10) SCREEN:
 Type _____
 Perforated Slotted
 Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

(Use reverse side if necessary)

7) COMPLETION (Check):
 Straight wall Gravel packed Other _____
 Under reamed Open Hole

11) WELL TESTS:
 Was a pump test made? Yes No _____ If yes, by whom? _____

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

Bailer test 2 gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

8) WATER LEVEL:
 Static level 50 ft. below land surface Date _____
 Artesian pressure _____ lbs. per square inch Date _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY:
 Was a chemical analysis made? Yes _____ No

Did any strata contain undesirable water? Yes _____ No _____

Type of water? _____ depth of strata _____

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only
Well No. 21-20-3C
Located on map 405
Received: 7/2/68

1) OWNER:
Person having well drilled Ellon Hull Address Rt. 1 EVANT, Tex.
(Name) (Street or RFD) (City) (State)
Landowner Ellon Hull Address Rt. 1 EVANT, Tex.
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Coryell, 1 miles in South direction from EVANT
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*



(Use reverse side if necessary)

or Give legal location with distances and directions from adjacent sections or survey lines.

Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____	4) PROPOSED USE (Check): Domestic _____ Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other <u>Stock</u>	5) TYPE OF WELL (Check): Rotary _____ Driven _____ Dug _____ Cable <input checked="" type="checkbox"/> Jetted _____ Bored _____
---	--	---

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 180 ft. Depth of completed well 180 ft. Date drilled 2-4
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>22'</u>	<u>Clay</u>
<u>22'</u>	<u>46'</u>	<u>Shale</u>
<u>46'</u>	<u>120'</u>	<u>white lime</u>
<u>120'</u>	<u>144'</u>	<u>gray shale</u>
<u>144'</u>	<u>180'</u>	<u>water sand</u>

9) CASING:
Type: Old _____ New Steel _____ Plastic _____ Other _____
Cemented from _____ ft. to 30 ft.
Diameter (inches) 5 Setting From (ft.) _____ To (ft.) 180 Gage W-1

10) SCREEN:
Type _____
Perforated Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
Straight wall Gravel packed _____ Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test 3 gpm with 160 ft. drawdown after 1 hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 100 ft. below land surface Date 2-4
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No _____
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Sheldon Perkins
(Type or Print)

Water Well Drillers Registration No. 182

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

For TWDB use only
Well No. 47 394B
Located on map 5-5
Received: 3-18-72

WATER WELL REPORT

1) OWNER:
Person having well drilled M. Amitt Address Evant Tx
(Name) (Street or RFD) (City) (State)
Landowner " " Address " " " "
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Coryell, 1 miles in South direction from Evant
(N.E., S.W., etc.) (Town)



Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section _____

3) TYPE OF WORK (Check): New Well <input checked="" type="checkbox"/> Deepening _____ Reconditioning _____ Plugging _____	4) PROPOSED USE (Check): Domestic <input checked="" type="checkbox"/> Industrial _____ Municipal _____ Irrigation _____ Test Well _____ Other _____	5) TYPE OF WELL (Check): Rotary _____ Driven _____ Dug _____ Cable <input checked="" type="checkbox"/> Jetted _____ Bored _____
---	---	---

6) WELL LOG:
Diameter of hole 6 1/2 in. Depth drilled 447 ft. Depth of completed well 447 ft. Date drilled 3/18/72
All measurements made from GROUND ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	15	Coarse LIME
15	50	LIME-SHELLS-SHALE
50	75	SANDY-SHALE-TR WATER
75	240	Light GRAY LIME-SHALE
240	290	BROKEN-LIME-SHALE
290	345	SANDY-SHALE-TR WATER
345	355	RED-SHALE
355	370	HARD-SANDY-LIME-SHELLS
370	395	BROWN-SANDY-LIME
395	425	HARD-SANDY-LIME-SHELLS-SHALE
425	447	WATER-SAND-RED-T.D.

9) Casing:
Type: Old _____ New Steel Plastic _____ Other _____
Cemented from 355 ft. to 370 ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
4 1/2 0 410 188
SCREEN:
Type _____
Perforated _____ Slotted
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____
3 1/2 Plastic 40Y - 447 7

7) COMPLETION (Check):
Straight wall Gravel packed Other _____
Under reamed _____ Open Hole _____

11) WELL TESTS:
Was a pump test made? Yes _____ No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test 10 gpm with 20 ft. drawdown after 4 hrs.
Artesian flow _____ gpm
Temperature of water _____

8) WATER LEVEL:
Static level 330 ft. below land surface Date 3/18/72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowl cylinder, jet, etc., 400 ft. below land surface.

12) WATER QUALITY:
Was a chemical analysis made? Yes _____ No
Did any strata contain undesirable water? Yes _____ No
Type of water? TRINITY depth of strata 137

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.
A. I. Kamm Drilling Co. 1972

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

JUN 2 1972

Texas Water Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711


State of Texas

For TWDB use only
Well No. 44-39-3A
Located on map 44-39
Received: 11/1/71

WATER WELL REPORT

1) OWNER:
Person having well drilled MRS. BOB Williams Address EVANT Texas
(Name) (Street or RFD) (City) (State)
Landowner MRS. BOB Williams Address EVANT Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Cocke, 1 miles in East direction from EVANT Texas
(N.E., S.W., etc.) (Town)



or Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check): <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Deepening <input type="checkbox"/> Reconditioning <input type="checkbox"/> Plugging	4) PROPOSED USE (Check): <input type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Municipal <input type="checkbox"/> Irrigation <input type="checkbox"/> Test Well <input checked="" type="checkbox"/> <u>Livestock</u>	5) TYPE OF WELL (Check): <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input checked="" type="checkbox"/> <u>Cable</u> <input type="checkbox"/> Jetted <input type="checkbox"/> Bored
--	---	---

6) WELL LOG:
Diameter of hole 6 in. Depth drilled 356 ft. Depth of completed well 356 ft. Date drilled 6-16-71
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-3		top soil
3-40		clay yellow
40-105		Blue Rock + shale
105-195		white lime
195-260		grey lime + shale
260-300		grey sandy shale
300-303		Red shale
303-356		Brown lime

(Use reverse side if necessary)

9) Casing:
Type: Old New Steel Plastic Other
Cemented from _____ ft. to _____ ft.
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Gage _____
5 0 356

10) SCREEN:
Type _____
Perforated _____ Slotted _____
Diameter (inches) _____ Setting From (ft.) _____ To (ft.) _____ Slot Size _____

7) COMPLETION (Check):
Straight wall Gravel packed Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 65 ft. below land surface Date _____
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., _____ ft. below land surface.

11) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test 10 gpm with 0 ft. drawdown after 1 hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? Soft depth of strata 303-356

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

10-18-57
Terry W...

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 41-39-3F
Located on map YES
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Dennis Shelton Address Evant, Texas
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: County Coryell 1 miles in S direction from Evant
(N.E., S.W., etc.) (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Public Supply Irrigation Test Well Other _____
5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored Air Rotary Cable Tool Jetted Other _____

6) WELL LOG: Date drilled 5/22/80
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6-3/4 Surface 475
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from 450 ft. to 475 ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:				
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)	Gage Casing Screen
					From To		
0	31	caliche					
31	54	shale and lime					
54	65	sandy shale and soapstone	4 1/2	new	steel casing (.156)	0	449
65	86	water sand	4 1/2	new	slotted casing	449	475
86	243	lime w/ shale breaks					1/8"
243	255	sandy shale					
255	302	white sandy lime					
302	335	sandy shale and soapstone					
335	353	sand					
353	365	sandy shale					
365	379	sand, sandstone & charcoal					
379	420	brown lime					
420	450	red beck					
450	472	sand and sandstone					
472	475	red					
475	500	brown lime - small hole - open)					

CEMENTING DATA
Cemented from 435 ft. to 450 ft.
Method used poured
Cemented by driller
(Company or Individual)

9) WATER LEVEL:
Static level _____ ft. below land surface Date 5/22/80
Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____
RECEIVED: FEB 27 1981
CR/TL

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 441 ft.

12) WELL TESTS:
13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable


(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential mat-

Shelton



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

For TDWR use only
Well No. 41-39-3E
Located on map 1/4
Received: 70 1/4

1) OWNER GEORGE W. WILLIAMSON Address 5513 PALM DRIVE DICKERSON TEXAS 77539
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County CORYELL, 1/2 miles in 5 direction from EVANT
WELL #1 (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. Map on 41-48-00

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____

5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:
Date drilled 5/15/78

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
	Surface	
<u>6 1/4</u>		<u>540</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>13</u>	<u>YELLOW CLAY</u>
<u>13</u>	<u>35</u>	<u>GRAY SHALE</u>
<u>35</u>	<u>39</u>	<u>BLUE GUMMY CLAY</u>
<u>39</u>	<u>80</u>	<u>DARK GRAY SANDY SHALE</u>
<u>80</u>	<u>340</u>	<u>TAN GRAY SHALE</u>
<u>340</u>	<u>360</u>	<u>WHITE TO BROWN ROCK</u>
<u>360</u>	<u>390</u>	<u>BROWN ROCK</u>
<u>390</u>	<u>416</u>	<u>WHITE ROCK</u>
<u>416</u>	<u>460</u>	<u>RED CLAY</u>
<u>460</u>	<u>480</u>	<u>PINK & CREAM ROCK</u>
<u>480</u>	<u>490</u>	<u>RED ROCK</u>
<u>490</u>	<u>540</u>	<u>TAN ROCK W/ PINK ROCK</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>6 5/8 N</u>		<u>STEEL</u>	<u>0</u>	<u>90</u>	<u>1884</u>

CEMENTING DATA
Cemented from _____ ft. to _____ ft.
Method used _____
Cemented by _____ (Company or Individual)

9) WATER LEVEL:
Static level 280 ft. below land surface Date 5/15/78
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth

11) TYPE PUMP:
 Turbin Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

(Use reverse side if necessary)

13) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Dup

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas WATER WELL REPORT

For TDWR use only Well No. 41-39-30 Located on map 100 Received: 7/2/78

1) OWNER GEORGE W. WILLIAMS Address 5512 PALM DRIVE DICKERSON TEXAS 77539
2) LOCATION OF WELL: County CORYELL 1/2 miles in S direction from EVANT

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines...

Legal description: Section No. Block No. Township. Abstract No. Survey Name. Distance and direction from two intersecting section or survey lines. See attached map. Map 41-49-00

3) TYPE OF WORK (Check): New Well, Deepening, Reconditioning, Plugging

4) PROPOSED USE (Check): Domestic, Industrial, Public Supply, Irrigation, Test Well, Other

5) DRILLING METHOD (Check): Mud Rotary, Air Hammer, Driven, Bored, Air Rotary, Cable Tool, Jetted, Other

6) WELL LOG: Date drilled 5/18/78

Table with columns: DIAMETER OF HOLE (Dia. in., From ft., To ft.), Surface, 6 1/4, 420

7) BOREHOLE COMPLETION: Open Hole, Straight Wall, Underreamed, Gravel Packed, Other

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: From (ft.) To (ft.) Description and color of formation material

Table with columns: From (ft.), To (ft.), Description and color of formation material. Rows: 0-13 Yellow Clay, 13-305 Gray Shale, 305-320 White Sand Rock, 320-360 Gray Shale, 360-405 Brown Rock, 405-420 White Rock

8) CASING, BLANK PIPE, AND WELL SCREEN DATA: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen

Table with columns: Dia. (in.), New or Used, Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial, Setting (ft.) From To, Gage Casing Screen. Rows: 6 5/8 N STEEL (0-81), 5 1/2 N PVC (81-310)

CEMENTING DATA: Cemented from ft. to ft., Method used, Cemented by (Company or Individual)

9) WATER LEVEL: Static level 135 ft. below land surface Date 6/21/78, Artesian flow gpm. Date

10) PACKERS: Type Depth

11) TYPE PUMP: Turbin, Jet, Submersible, Cylinder, Other, Depth to pump bowls, cylinder, jet, etc., ft.

13) WATER QUALITY: Did you knowingly penetrate any strata which contained undesirable water? Yes No

12) WELL TESTS: Type Test: Pump, Bailer, Jetted, Estimated

(Use reverse side if necessary)

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER EVANT TRACK FIELD (Name) Address Box 30 (Street or RFD) EVANT, TX 76525 (City) (State) (Zip)
 2) LOCATION OF WELL: County CORWELL 3 miles in 5 (N.E., S.W., etc.) direction from EVANT, TX (Town)

Legal description:
 Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
 Section No. _____ Block No. _____ Township _____
 Abstract No. _____ Survey Name _____
 Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
 4) PROPOSED USE (Check):
 Domestic Industrial Public Supply
 Irrigation Test Well Other _____
 5) DRILLING METHOD (Check):
 Mud Rotary Air Hammer Driven Bored
 Air Rotary Cable Tool Jetted Other _____

6) WELL LOG:

Date drilled	DIAMETER OF HOLE		
	Dia. (in.)	From (ft.)	To (ft.)
<u>4/27/92</u>	<u>6 1/4"</u>	Surface	<u>540</u>

7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
 If Gravel Packed give interval . . . from 270 ft. to 540 ft.

From (ft.)	To (ft.)	Description and color of formation material
		<u>0-2 SURFACE</u>
		<u>2-20 CLAY</u>
		<u>20-23 SANDY SHALE</u>
		<u>23-90 SHALE</u>
		<u>90-110 SANDY SHALE</u>
		<u>110-340 SHALE</u>
		<u>340-420 BLIND ROCK</u>
		<u>420-480 RED BED</u>
		<u>480-540 BROWN LIMB ROCK</u>

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4"</u>	<u>N</u>	<u>SC#40 PDC</u>	<u>0</u>	<u>540</u>	

CEMENTING DATA
 Cemented from 0-10 ft. to 260-270 ft.
 Method used WATER CEMENT
 Cemented by Edm. [Signature]
 (Company or Individual)

9) WATER LEVEL:
 Static level 280 ft. below land surface Date 4/27/92
 Artesian flow _____ gpm. Date _____

10) PACKERS: Type _____ Depth _____

11) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., 460 ft.

13) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable

12) WELL TESTS:

RECEIVED
 SEP 18 1992
 TEXAS WATER WELL DRILLERS BOARD

(Use reverse side if necessary)

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term “Commission” in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse Side

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

1) OWNER Mr. Rusty Burgett ADDRESS Rt. 1 Evant Tx 76525
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: County CORWELL Rt. 1 EVANT, TX 76525 GRID # 41-39-3
(Street, RFD or other) (City) (State) (Zip)

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging

4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG: Date Drilling: Started 7/18 1994 Completed 7/18 1994

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>120</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____


8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
If Gravel Packed give interval ... from 40 ft. to 120 ft.

From (ft.) To (ft.) Description and color of formation material

<u>0-2</u>	<u>22</u>	<u>SURFACE</u>
<u>2-22</u>	<u>60</u>	<u>CLAY</u>
<u>22-60</u>	<u>80</u>	<u>SHALE</u>
<u>60-80</u>	<u>120</u>	<u>WATER SAND</u>
<u>80-120</u>		<u>SHALES</u>

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4"</u>	<u>N</u>	<u>SCH #40 PVC</u>	<u>0</u>	<u>120</u>	



9) CEMENTING DATA [Rule 338.44(1)]
Cemented from 0 ft. to 40 ft. No. of sacks used 8
ft. to _____ ft. No. of sacks used _____
Method used WATER CEMENT
Cemented by Eldon Perkins
Distance to septic system field lines or other concentrated contamination 150 ft.
Method of verification of above distance TAPE

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 100 ft.

14) WELL TESTS:
Type test: Pump Bailor Jetted Estimated
Yield: 1 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
Static level 50 ft. below land surface Date 7/18/94
Artesian flow _____ gpm. Date _____

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? GOOD Depth of strata 60-80'
Was a chemical analysis made? Yes No

12) PACKERS: Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME ELDON PERKINS DRILLING WELL DRILLER'S LICENSE NO. 2782 W
(Type or print)

ADDRESS P.O. Box 129 EVANT TX 76525
(Street or RFD) (City) (State) (Zip)

(Signed) Eldon Perkins (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

ATTENTION OWNER: Confidentiality
 Privilege Notice on on reverse side
 of Well Owner's copy (pink)

State of Texas
WELL REPORT

Texas Water Well Drillers Advisory Council
 MC 177
 P.O. Box 13087
 Austin, TX 78711-3087
 512-239-0530

1) OWNER Ho Do STANFORD ADDRESS P.O. Box 189 EVANT
 (Name) (Street or RFD) (City) (State) (Zip)
 2) ADDRESS OF WELL CORYELL SAME TX 76525
 County (Street, RFD or other) (City) (State) (Zip) GRID # 41-39-3

3) TYPE OF WORK (Check):
 New Well Deepening
 Reconditioning Plugging
 4) PROPOSED USE (Check): Monitor Environmental Soil Boring Domestic
 Industrial Irrigation Injection Public Supply De-watering Testwell
 If Public Supply well, were plans submitted to the TNRCC? Yes No

6) WELL LOG:
 Date Drilling: 1-20-98
 Started 19
 Completed 7-21-98
 DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>8</u>	<u>Surface</u>	<u>11</u>
<u>6 1/2</u>	<u>11</u>	<u>470</u>

7) DRILLING METHOD (Check): Driven
 Air Rotary Mud Rotary Bored
 Air Hammer Cable Tool Jetted
 Other _____
 WELL

From (ft.)	To (ft.)	Description and color of formation material
0	1	SOIL & ROCKS
1	23	CLAY LEACH
23	65	GRAY SHALE
65	67	11 SOAPSTONE
67	74	11 PINK LIME
74	76	GRAY SAND ROCK
76	90	GRAY SAND
90	108	GRAY SANDY CLAY
108	310	GRAY SHALE
310	340	GRAY SOAPSTONE
340	364	GRAY CLAY & SHALE
364	365	GRAY SOAPSTONE
365	370	PINK LIME
370	380	PINK CLAY & ROCK
380	385	MEDISH BROWN CLAY & ROCK

(Use reverse side of Well Owner's copy, if necessary)

8) Borehole Completion (Check): Open Hole Straight Wall
 Underreamed Gravel Packed Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4 1/2</u>	<u>N</u>	<u>PLASTIC</u>	<u>1</u>	<u>210</u>	<u>SPRINT</u>
<u>4 1/2</u>	<u>N</u>	<u>BSLOTTED</u>	<u>210</u>	<u>470</u>	<u>SORT</u>

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 0 ft. to 90 ft. No. of sacks used 3 1/2
 _____ ft. to _____ ft. No. of sacks used _____
 Method used SAND & CEMENT
 Cemented by Dale Faught
 Distance to septic system field lines or other concentrated contamination 100
 Method of verification of above distance EST

14) WELL TESTS:
 Type test: Pump Bailer Jetted Estimated
 Yield: 25 gpm with _____ ft. drawdown after _____ hrs.

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 338.44(2)(A)]
 Specified Steel Sleeve Installed [Rule 338.44(3)(A)] 8 5/8" x 28"
 Pitless Adapter Used [Rule 338.44(3)(b)]
 Approved Alternative Procedure Used [Rule 338.71]

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
 Yes No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata _____
 Was a chemical analysis made? Yes No

11) WATER LEVEL:
 Static level 365 ft. below land surface Date 7-21-98
 Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
<u>1 RUBBER</u>	<u>90</u>
<u>1</u>	<u>110</u>
<u>1</u>	<u>130</u>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME FAUGHT WATER WELL WELL DRILLER'S LICENSE NO. 2410W
 (Type or print)
 ADDRESS HC 61 BOX 47 LOMETA TX 76853-9302
 (Street or RFD) (City) (State) (Zip)
 (Signed) Dale Faught (Signed) _____
 (Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Please use black ink.
Send original copy by certified mail to the Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Mr. Paul Comer (Name) Address Box 148 (Street or RFD) Evant TX 76525 (City) (State) (Zip)

2) LOCATION OF WELL: County CORUELL 2 miles in SE direction from EVANT, TX (Town)

Legal description:
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____
 See attached map.

3) TYPE OF WORK (Check):
 New Well Deepening Reconditioning Plugging
4) PROPOSED USE (Check):
 Domestic Industrial Monitor Public Supply Irrigation Test Well Injection Other _____
5) DRILLING METHOD (Check):
 Driven Mud Rotary Air Hammer Jetted Bored Air Rotary Cable Tool Other _____

6) WELL LOG:
Date Drilling: Started 5/21 1990 Completed 5/23 1990
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/4" Surface 435'
7) BOREHOLE COMPLETION:
 Open Hole Straight Wall Underreamed
 Gravel Packed Other _____
If Gravel Packed give interval . . . from 190 ft. to 435 ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
		<u>0-3 SURFACE</u>	
		<u>3-25 CLAY</u>	
		<u>25-250 SHALE</u>	<u>4" N SCH #40 PDC</u> <u>0</u> <u>435</u>
		<u>250-300 SANDY SHALE</u>	
		<u>300-375 BROWN LIME ROCK</u>	
		<u>375-395 FINE BLR</u>	
		<u>395-400 LIME ROCK</u>	
		<u>400-435 RED BED</u>	

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 10 ft. No. of Sacks Used 2
190 ft. to 190 ft. No. of Sacks Used 2
Method used WATER CEMENT
Cemented by Eldon Kerber

10) SURFACE COMPLETION
 Specified Surface Slab Installed [Rule 319.44(c)]
 Pitless Adapter Used [Rule 319.44(d)]
 Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 200 ft. below land surface Date 5/23/90
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
 Turbine Jet Submersible Cylinder
 Other _____
Depth to pump bowls, cylinder, jet, etc., 400 ft.

14) WELL TESTS:
Type Test: Pump Bailer Jetted Estimated

RECEIVED
APR 23 1991

TEXAS WATER COMMISSION

(Use reverse side if necessary)

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? Yes No
If yes, submit "REPORT OF UNDESIRABLE WATER"

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.